

Gerald Heston/R3/USEPA/US
04/23/2012 02:37 PM

To Ron Borsellino, Kathy Hodgkiss, Dennis Carney, Bonnie Gross, Fran Burns, Gerald Heston, Richard Fetzner, Richard Rupert, Kelley Chase, Ann DiDonato, LaRonda Koffi
cc
bcc
Subject Dimock Update (1430 hrs., 4/23/12)

No homes sampled today; no additional homes scheduled.

Site team continues to finalize other data packages in preparation for roll-out over the next several weeks.

For the 16 homes from week 3 that have received data packages: 4 follow-up appointments have been scheduled, 2 have declined a meeting, messages have been left at 5 homes, 3 residents requested a delay in scheduling a meeting, 2 resident remains to be contacted. In addition, follow-up meetings with 2 residents from week 2 have been scheduled.

Provision of alternate water continues to keep water tanks filled.

Dimock Sampling Summary

Week	Homes Sampled	Homes Receiving Water	Proposed for resampling
1	11	3	5
2	20	0	1
3	17	0	2
4	9	1	TBD (minimum of 1)
Post - Week 4	4	0	TBD (*)
Totals	61	4	TBD (Minimum of 9)

Note: Proposed for resampling includes homes receiving alternate water from EPA plus homes where one or more contaminants were found at the tap at concentrations above the trigger level established for that contaminant. Total number of homes to be resampled subject to final comprehensive review of 1st round results.

* = Data not final yet

Gerald T. Heston, Chief
Eastern Response Branch (3HS31)
U. S. Environmental Protection Agency - Region 3
1650 Arch Street
Philadelphia, PA 19103

Phone: 215-814-3273
Fax: 215-814-3254